5

TITLE:

PEACH TREE NAMED 'GL4/66'

ORIGIN OF THE VARIETY

The present new and distinct variety of peach tree (*Prunus persica*) was originated from an open pollinated population of seedlings derived from the variety 'Yumyeong' planted in 1990 at the HortResearch experimental orchard in Havelock North, New Zealand. Paul G. Glucina established a large group of open-pollinated seedlings on their own roots and under careful observation one seedling representing the present variety was selected and asexually propagated for further evaluation by Michael T. Malone. The selection was further propagated by asexual reproduction for the first time in 1995.

ASEXUAL REPRODUCTION OF THE VARIETY

The new variety was budded onto 'Golden Queen' peach rootstock and shows the unique combination of characteristics and distinctive colour are true to the original seedling tree and are transmitted through succeeding asexual generations.

SUMMARY OF THE VARIETY

The described variety of peach tree is of a medium to large size, vigorous, with a spreading growth habit. It is a regular and productive bearer of medium to large white flesh, clingstone fruit with a sweet sub-acid taste and very firm crisp flesh with good fruit aroma. The fruit has very good flavour and eating quality. The firm flesh exhibits good storage and the skin

has an attractive pink colour over a cream background. The fruit ripens mid season approximately two weeks before the 'Yumyeong' parent variety.

BRIEF DESCRIPTION OF THE DRAWINGS

5

The accompanying photograph shows typical specimens of the foliage and the fruit of the new variety as depicted in colours as nearly true as is reasonably possible in a colour representation of this type. The upper and lower surfaces of the leaves, and the exterior view of the fruit, are shown. The photograph was taken after two weeks air storage of fruit harvested at eating maturity.

DETAILED DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of the new variety with colour terminology in accordance with the Royal Horticultural Society Colour Chart, 1986 edition. The specimens described were grown in Havelock North and Clyde, Central Otago, New Zealand. The observations were made in the 2001 season on trees which were four years old at the time.

Tree

Size

Vigorous

Form

Pruned to central leader, with a spreading

growth habit

Large

Trunk

0995574 . O.71501

Size Medium

Texture Medium rough

Colour Grey/brown 197A

Branch

5 Size Medium

Lenticels Medium number, large elongated shape

Leaves

Size Medium to large

Average Width 55 mm

Average Length 190 mm

Form Pointed

Shape of Tip Acuminate

Angle of Tip Narrow acute

Shape of Base Attenuate

Incision of Margin Crenate

Thickness Medium

Surface Smooth

Petiole Medium length, medium thickness (average

15 mm)

20 Glands Reniform, elongated

Nectaries on Fully Developed Leaf

Usually more than two, average 4

	10	ū
	:	D
5 7 4 C 7 1 5 C	į	
150 150		J
4 DV = 150		
	:	إيو
15 ^U		F
15 ^U	1	8
15 ^U	l	
150	:	٠
		-1
	15	U
H	- 1	
		1

Colour - Upper Surface

Color - Lower Surface

Light green 141A

Light green 146B

Flower Buds

Size

Medium to large

5 Length Medium

Form Plump

Flowers

Size Medium to large

Pollen Present

Colour Medium pink

Petal shape Round

Pubescence of Ovary Present

Fruit

Maturity for Consumption Ripe

Season Mid-late

Size Medium

Average Weight 170 g

Average Diameter Across Suture Line 73 mm

Average Length 64 mm

Shape (ventral view) Round oblate, symmetrical

Shape of Pistil End Rounded, slightly depressed

Suture Shallow, extends from base to apex

Sul	Cavity	Rounded, medium to deep, average depth 9
A2		mm, average width 28 mm
/ (Flesh	
	Ripening	Even
5	Texture	Firm, non-melting
	Fibres	Non-fibrous
	Aroma	High /
	Eating Quality	Good
	Flavour	Low acid, mild
10 <u>0</u>	Soluble Solids	Average 10-12° Brix
	Juice /	Moderately juicy
76-11-11 10-11-11-11-11-11-11-11-11-11-11-11-11-1	Colour	White 155D
22 20 20 20 20 20 20 20 20 20 20 20 20 2	Anthocyanin	Low
	Stem	
19995574 - C71901	Size	Medium, average 0.5 cm
글 날	Colour	Yellow green 150C
	Skin	
	Thickness	Medium
	Texture	Medium to strong adherence of skin to flesh
20	Density of Pubescence	Medium
	Tendency to Crack	None
	Colour	Red 46A, blending to dark pink 48A blush
	5	
	•	

pattern of over colour. Cream ground colour 11D

storage without internal breakdown of flesh

Stone

	Stone	
	Туре	Clingstone
5	Size	Medium
	Average Length	32 mm
	Average Width	26 mm
0 0 .a	Average thickness	18 mm
	Average Weight	6.5 g
	Shape (lateral view)	Round/elliptic
	Surface	Pits and grooves, pitted towards the base
Oggaszr.ozzso	Tendency to Split	None
	Colour	Brown 165A
	Use	Local and export markets
51 5 1	Storage	Good; storage trials indicate 2-3 weeks

The present new variety of peach tree, its flowers, foliage and fruit herein described may vary slightly in detail due to climate, soil conditions and cultural practices under which the variety may be grown. The present description is that of the variety grown under the environmental conditions prevailing near Havelock North, Hawke's Bay, New Zealand.